

Order form

Zitzi Starfish Pro

Date: _____

Customer: _____

Deliv. address: _____

consultant: _____ Tried out by: _____

Other: _____

- ☐ Order ☐ Offer ☐ Proforma ☐ Custom made
☐ 500010 Customer ordered mounting (Anatomic Sitt is mounting all accessories on Starfish)



The product is extra equipped

Product info	Sizes	User length	User weight	Tilt	Hip-/back angel	Sit height	Weight
Starfish Pro	3	120-200 cm	max 150 kg	- 5° to +30°	- 10° to +35°/30°	50-63, 50-78	appr. 31-35 kg

Standard equipment: • Chassis with 100 mm wheels • Seat part with cushion • Back profile with push bar • Bracket for potty

Cross	Unit	Product no.	Name	Info
-------	------	-------------	------	------


SELECT CHASSI

To choose size, see info regarding measurements under technical data.

_____	pc	689401	Starfish Pro, Seat size 1
_____	pc	689402	Starfish Pro, Seat size 2
_____	pc	689403	Starfish Pro, Seat size 3
_____	pc	689406	Starfish Pro, Seat divided size 1
_____	pc	689407	Starfish Pro, Seat divided size 2
_____	pc	689408	Starfish Pro, Seat divided size 3
_____	pc	689411	Starfish Pro Hydraulic, Seat size 1
_____	pc	689412	Starfish Pro Hydraulic, Seat size 2
_____	pc	689413	Starfish Pro Hydraulic, Seat size 3
_____	pc	689416	Starfish Pro Hydraulic, Seat divided size 1
_____	pc	689417	Starfish Pro Hydraulic, Seat divided size 2
_____	pc	689418	Starfish Pro Hydraulic, Seat divided size 3
_____	pc	689605	Mounting footpedal left - Starfish Pro
_____	pc	689421	Starfish Pro Electric, Seat size 1
_____	pc	689422	Starfish Pro Electric, Seat size 2
_____	pc	689423	Starfish Pro Electric, Seat size 3
_____	pc	689426	Starfish Pro Electric, Seat divided size 1
_____	pc	689427	Starfish Pro Electric, Seat divided size 2
_____	pc	689428	Starfish Pro Electric, Seat divided size 3



(Right side is standard)



SELECT SOFTSEAT (14 mm is included as standard)

Extra relief - 28 mm thick

_____	pc	689541	Softseat Seatpart size 1 - Starfish Pro
_____	pc	689542	Softseat Seatpart size 2 - Starfish Pro
_____	pc	689543	Softseat Seatpart size 3 - Starfish Pro
_____	pair	689546	Softseat Div. Seat size 1 - Starfish Pro
_____	pair	689547	Softseat Div. Seat size 2 - Starfish Pro
_____	pair	689548	Softseat Div. Seat size 3 - Starfish Pro

PU - extra relief and durable

_____	pc	689776	Cushion PU seat div. size 1 - Starfish
_____	pc	689777	Cushion PU seat div. size 2 - Starfish
_____	pc	689778	Cushion PU seat div. size 3 - Starfish



SELECT BACK

_____	st	689431	Back size 1 - Starfish Pro	Back height 460 mm
_____	st	689432	Back size 2 - Starfish Pro	560 mm
_____	st	689433	Back size 3 - Starfish Pro	660 mm
_____	st	689437	Back size 1 sacrum support - Starfish Pro	460 mm
_____	st	689436	Back size 2 sacrum support - Starfish Pro	560 mm
_____	st	689435	Back size 3 sacrum support - Starfish Pro	660 mm



Back



Back sacrum support

The back height refers to the plastic part. It can be adjusted up / down about 10 cm.

SELECT LATERAL SUPPORT

				Trunk width	Trunk depth
_____	pair	689441	Lateral support size 1 - Starfish Pro	210-300 mm	140 mm
_____	pair	689442	Lateral support size 2 - Starfish Pro	240-340 mm	170 mm
_____	pair	689454	Lateral support wide size 2 - Starf. Pro	300-400 mm	170 mm
_____	pair	689443	Lateral support size 3 - Starfish Pro	300-400 mm	200 mm
_____	par	689444	Lateral support wide size 3 - Starf. Pro	365-495 mm	200 mm
_____	pair	689446	Lateral supp. 1 reinfor. -Starfish Pro	210-300 mm	140 mm
_____	pair	689447	Lateral supp. 2 reinfor. -Starfish Pro	240-340 mm	170 mm
_____	pair	689455	Lateral supp. wide 2 reinfor. -Starf Pro	300-400 mm	170 mm
_____	pair	689448	Lateral supp. 3 reinfor. -Starfish Pro	300-400 mm	200 mm
_____	pair	689451	Lateral supp. 1 foldable -Starfish Pro	210-300 mm	140 mm
_____	pair	689452	Lateral supp. 2 foldable -Starfish Pro	240-340 mm	170 mm
_____	pair	689453	Lateral supp. 3 foldable -Starfish Pro	300-400 mm	200 mm
_____	pair	689449	Lateral supp. 2 foldable wide -Starfish Pro	300-400 mm	200 mm
_____	pair	689450	Lateral supp. 3 foldable wide -Starfish Pro	365-495 mm	200 mm

**SELECT HEADREST**

_____	pc	689456	Headrest size 1, long - Starfish Pro
_____	pc	689457	Headrest size 2 - Starfish Pro
_____	pc	689458	Headrest size 2, long - Starfish Pro
_____	pc	77101	Active forehead strap, Adult - Pro Serie
_____	pc	77102	Active forehead strap, Junior - ProSerie
_____	pc	152435	Stay, Active forehead strap - Zitzi



689456



689457



77101



152435

SELECT ARMREST

Measurement between armrest plates

_____ pair	689461	Armrest back size 1 - Starfish Pro
_____ pair	689462	Armrest back size 2 - Starfish Pro
_____ pair	689463	Armrest back size 3 - Starfish Pro
_____ pair	689565	Armrest turn-up size 1 cpl. (Back /230 mm) - Starfish
_____ pair	689566	Armrest turn-up size 2 cpl. (Back /330 mm) - Starfish
_____ pair	689567	Armrest turn-up size 3 cpl. (Back /330 mm) - Starfish
_____ pc	689467	Armrest cup. size 1 (Back/325mm) Starfish
_____ pc	689468	Armrest cup. size 2 (Back/370mm)-Starfish
_____ pc	689469	Armrest cup. size 3 (Back/370mm)-Starfish
_____ pair	689575	Cover armrest plate 230x75mm - Starfish
_____ pair	689576	Cover armrest plate 330x75mm - Starfish
_____ pair	689465	Armrest chassi size 1-2 - Starfish Pro
_____ pair	689466	Armrest chassi size 3 - Starfish Pro

30-42 cm

36-48 cm

44-54 cm

30-42 cm

36-48 cm

44-54 cm



Armrest back



Armrest turn-up



Armrest chassi



Armrest cupped



Cover armrest

42 cm (38 when mounting inside of the frame*)

52 cm (48 when mounting inside of the frame*)

*only applies to Electric and Hydraulic chassi

SELECT TABLE *Table and support table - attach on Armrest back (689461-63)*

Trunk width

_____ pc	990252	Table transparent, size 2 - Zitzi
_____ pc	990253	Table transparent, size 3 - Zitzi
_____ pc	990254	Table transparent, size 4 - Zitzi
_____ pc	990255	Table transparent, size 5 - Zitzi
_____ pc	990202	Table slim transparent size 2 - Zitzi
_____ pc	990203	Table slim transparent size 3 - Zitzi
_____ pc	990204	Table slim transparent size 4 - Zitzi
_____ st	990205	Table slim transparent size 5 - Zitzi

19-25 cm

24-30 cm

29-35 cm

34-40 cm

20-26 cm

24-30 cm

28-34 cm

32-40 cm



SELECT SUPPORT

_____ pair	689284	Upper mounting bracket, long (200 mm)
_____ pc	375211	Sternum support Soft Blue size S
_____ pc	375311	Sternum support Soft Blue size M
_____ pc	375411	Sternum support Soft Blue size L
_____ pc	376521	H-strap Soft Blue size S
_____ pc	376531	H-strap Soft Blue size M
_____ pc	376541	H-strap Soft Blue size L



Sternum support



H-strap



Mounting bracket

SELECT LEG SUPPORT

_____	pair	689471	Leg. pos. out div. size.1 - Starfish Pro
_____	pair	689472	Leg. pos. out div. size.2 - Starfish Pro
_____	pair	689473	Leg. pos. out div. size.3 - Starfish Pro
_____	pair	689476	Leg. pos. in div. size 1 - Starfish Pro
_____	pair	689477	Leg. pos. in div. size 2 - Starfish Pro
_____	pair	689478	Leg. pos. in div. size 3 - Starfish Pro

Fits both whole and
divided seat

**SELECT HIP SUPPORT**

_____	pair	689481	Hipsupport size. 1-2 - Starfish Pro
_____	pair	689483	Hipsupport size. 3 - Starfish Pro

SELECT HIP BELT

Standard belt is 374201 (for size 1), 374211 (for size 2) and 374221 (for size 3)

_____	pc	374201	Sittbelt Comfort Blue size S, DWSR25	2-point
_____	pc	374202	Sittbelt Comfort Blue size S, 725	2-point
_____	pc	374211	Sittbelt Comfort Blue size M, DWSR40	2-point
_____	pc	374212	Sittbelt Comfort Blue size M, S40	2-point
_____	pc	374213	Sittbelt Comfort Blue size M, 740	2-point
_____	pc	374221	Sittbelt Comfort Blue size L, DWSR40	2-point
_____	pc	374222	Sittbelt Comfort Blue size L, S40	2-point
_____	pc	374223	Sittbelt Comfort Blue size L, 740	2-point
_____	pc	374205	Sittbelt Blue size S, DWSR25	4-point
_____	pc	374206	Sittbelt Blue size S, 725	4-point
_____	pc	374216	Sittbelt Blue size M, DWSR40	4-point
_____	pc	374217	Sittbelt Blue size M, S40	4-point
_____	pc	374218	Sittbelt Blue size M, 740	4-point
_____	pc	374226	Sittbelt Blue size L, DWSR40	4-point
_____	pc	374227	Sittbelt Blue size L, S40	4-point
_____	pc	374228	Sittbelt Blue size L, 740	4-point
_____	pc	374231	Anti-rotational belt Blue size S, DWSR25	4-point
_____	pc	374241	Anti-rotational belt Blue size M, DWSR40	4-point
_____	pc	374242	Anti-rotational belt Blue size M, 740	4-point



Buckles:



DWSR25, DWSR40



725/740



S40

SELECT ANKLE HOLDER

_____	pair	377111	Ankle holder Soft Blue size S	Dim. around the ankle 160-240 mm
_____	pair	377211	Ankle holder Soft Blue size M	220-280 mm
_____	pair	377311	Ankle holder Soft Blue size L	260-320 mm

**SELECT BRACELET**

_____	pc	378111	Bracelet Soft, size L (Blue)	Dim. around the wrist 140 mm and up
_____	pc	378211	Bracelet Soft, size S (Blue)	up to 140 mm



SELECT FOOTREST

_____	pc	689486	Footrest size. 1 - Starfish Pro
_____	pc	689487	Footrest size. 2 - Starfish Pro
_____	pc	689488	Footrest size. 3 - Starfish Pro
_____	pc	689496	Footrest tip-up size. 1 - Starfish Pro
_____	pc	689497	Footrest tip-up size. 2 - Starfish Pro
_____	pc	689498	Footrest tip-up size. 3 - Starfish Pro
_____	pair	689491	Footrest divided size. 1 - Starfish Pro
_____	pair	689492	Footrest divided size. 2 - Starfish Pro
_____	pair	689493	Footrest divided size. 3 - Starfish Pro
_____	pair	689501	Footr. divi. tip-up size.1 -Starfish Pro
_____	pair	689502	Footr. divi. tip-up size.2 -Starfish Pro
_____	pair	689503	Footr. divi. tip-up size.3 -Starfish Pro
_____	pair	689506	Footr divi. ball joint size1 -Starfish P
_____	pair	689507	Footr divi. ball joint size2 -Starfish P
_____	pair	689508	Footr divi. ball joint size3 -Starfish P
_____	pc	689511	Cushion footrest size 1 -Starfish Pro
_____	pc	689512	Cushion footrest size 2 -Starfish Pro
_____	pc	689513	Cushion footrest size 3 -Starfish Pro
_____	pair	689516	Cushion footrest divided size 1 -Starfish P
_____	pair	689517	Cushion footrest divided size 2 -Starfish P
_____	pair	689518	Cushion footrest divided size 3 -Starfish P



SELECT CALFSUPPORT

_____	pair	689520	Calfsupport size 1 -Starfish Pro
_____	pair	689521	Calfsupport size 2 -Starfish Pro
_____	pair	689522	Calfsupport size 3 -Starfish Pro
_____	pair	689523	Cushion Calfsupport size 1 -Starfish Pro
_____	pair	689524	Cushion Calfsupport size 2 -Starfish Pro
_____	pair	689525	Cushion Calfsupport size 3 -Starfish Pro

Width

140 mm
150 mm
150 mm

Height

120 mm
150 mm
225 mm



SELECT OTHER

_____	st	689557	Pot size 1-3
_____	st	689559	Lid Pot size 1-3
_____	pc	689533	Urine protection size M - Starfish Pro
_____	pc	689534	Urine protection size L - Starfish Pro
_____	pc	689538	Urine prot.size M + strap - Starfish Pro
_____	pc	689539	Urine prot.size L + strap - Starfish Pro
_____	pair	689655	Anti Tip - Starfish Pro

For Starfish size 1-3

Fits to 689557



SPARE PARTS (The most frequent spare parts. For complete list, see Exploded view / Spare parts list)

Quant.	Unit	Product no.	Name	Info
_____	pc	689555	Driving bow, backrest (ordering after)	
_____	pc	689581	Cushion Back size 1 - Starfish Pro	
_____	pc	689582	Cushion Back size 2 - Starfish Pro	
_____	pc	689583	Cushion Back size 3 - Starfish Pro	
_____	pc	689587	Cushion Back Sacrum size 1 - Starfish Pro	
_____	pc	689586	Cushion Back Sacrum size 2 - Starfish Pro	
_____	pc	689585	Cushion Back Sacrum size 3 - Starfish Pro	
_____	pair	689577	Cushion lat. support size 1 - Starfish Pro	
_____	pair	689578	Cushion lat. support size 2 - Starfish Pro	
_____	pair	689579	Cushion lat. support size 3 - Starfish Pro	
_____	pair	689888	Cushion hip support size 1-2 - Starfish Pro	
_____	pair	689889	Cushion hip support size 3 - Starfish Pro	
_____	pair	689263	Armplate cup. size 325mm - Zitzi	
_____	pair	689264	Armplate cup. size 370mm - Zitzi	
_____	pc	689671	Cushion seat size 1 - Starfish Pro	
_____	pc	689672	Cushion seat size 2 - Starfish Pro	
_____	pc	689673	Cushion seat size 3 - Starfish Pro	
_____	pair	689676	Cushion seat div. size 1 - Starfish Pro	
_____	pair	689677	Cushion seat div. size 2 - Starfish Pro	
_____	pair	689678	Cushion seat div. size 3 - Starfish Pro	
_____	pc	689681	Cushion, headrest size 1 long - Clozitt	
_____	pc	689682	Cushion, headrest size 2 long - Clozitt	
_____	pc	689683	Cushion, headrest size 2 - Clozitt	
_____	pc	689691	Cushion, leg abduction size 1 - Starfish	
_____	pc	689692	Cushion, leg abduction size 2 - Starfish	
_____	pc	689693	Cushion, leg abduction size 3 - Starfish	
_____	pc	689696	Cushion, leg adduction size 1 - Starfish	
_____	pc	689697	Cushion, leg adduction size 2 - Starfish	
_____	pc	689698	Cushion, leg adduction size 3 - Starfish	
_____	pc	689695	Hole fill Legpart 51x27x14mm - Starfish	
_____	pc	689699	Hole fill Legpart 51x27x7mm - Starfish	
_____	pc	689606	Footpedal size 1-2 Right - Starfish Pro	
_____	pc	689607	Footpedal size 3 Right - Starfish Pro	
_____	pc	689608	Footpedal size 1-2 Left - Starfish Pro	
_____	pc	689609	Footpedal size 3 Left - Starfish Pro	
_____	pc	212430	Profile Footrest - 30 cm Clozitt	
_____	pc	212440	Profile Footrest - 40 cm Clozitt	
_____	pc	212450	Profile Footrest - 50 cm Clozitt	
_____	pc	689601	Endcap footpedal - Starfish Pro	
_____	pc	379511	Cushion Sittbelt Soft Blue size S	
_____	pc	379611	Cushion Sittbelt Soft Blue size L	
_____	pc	915014	Gasspring 235mm - 600Nm - Starfish	
_____	pc	689742	Battery BA 21 Starfish	
_____	pc	689743	Handset HB 81 Starfish	
_____	pc	689744	Charging cable EU - Starfish	(Charger built into control box)
_____	pc	212153	Wheels 100 mm, black brake - Clozitt	


Anatomic SITT AB • Box 6137 • SE-600 06 Norrköping • Sweden • Phone +46 (0)11-161800 • info@anatomicsitt.com • www.anatomicsitt.com

Technical data Starfish Pro



	Size 1	Size 2	Size 3
User length	ca. 120-145 cm	140-175 cm	170-200 cm
Chassi with whole seat part	Seatpart whole size 1	Seatpart whole size 2	Seatpart whole size 3
Seat depth (A)	300-380 mm	360-470 mm	450-550 mm
Seat width (incl cushion) (B)	365-395 mm	435-465 mm	495-525 mm
Size hygiene outlet (C)	80-110 mm	100-130 mm	125-155 mm
Chassi with divided seat part	Seatpart div. size 1	Seatpart div. size 2	Seatpart div. size 3
Seat depth (A)	300-380 mm	360-470 mm	450-550 mm
Seat width (B)*	350-480 mm	380-510 mm	390-520 mm
Width leg part incl. cushion (D)	165 mm	185 mm	200 mm
Size hygiene outlet (C)	50-180 mm	40-170 mm	30-160 mm
Clearance toilet, Man. Chassis	41-51 cm	41-51 cm	41-51 cm
Clearance toilet, Hydralisk/El	41-66 cm	41-66 cm	41-66 cm
Seat height, Manual Chassi **	50-63 cm	50-63 cm	50-63 cm
Seat height, Hydraulic/Electric**	50-78 cm	50-78 cm	50-78 cm
Tilt	-5° to +30°	-5° to +30°	-5° to +30°
Hip-/Back angle	-10° to +35°	-10° to +35°	-10° to +30°
Chassis, width (H)	540 mm	540 mm	590 mm
Chassis, length (I)	690 mm	690 mm	790 mm
Wheels	100 mm	100 mm	100 mm
Floor clearance	65 mm	65 mm	65 mm
Approx. weight incl. headrest, footrest, armrest	31 kg	33 kg	35 kg
Max user weight Man. chassi:	150 kg	150 kg	150 kg
Max user weight Hydraulic/El:	150 kg	150 kg	150 kg

* Seat parts mounted in the outer tracks
 ** excl. cushion

WHOLE SEAT PART



DIVIDED SEAT PART



	BACK Height (E)	LATERAL SUPPORT (mm)		
		Width (F)	Depth (G)	Height (H)
Size 1	460 mm	210-300	140	210
Size 2	560 mm	240-340	170	230
Size 3	660 mm	300-400	200	260


support adjustment +/- 85 mm

ARMRESTS

Armrest from Chassi	Measure inside armrest
Frame size 1-2 manual	42 cm
Frame size 1-2 hydr./el	38 cm / 42 cm*
Frame size 3 manual	52 cm
Frame size 3 hydr./el	48 cm / 52 cm*

Armrest from back	Measure inside armrest
Armrest size 1	30 - 42 cm
Armrest size 2	36 - 48 cm
Armrest size 3	44 - 54 cm

* Mounting on the inside / outside of the frame





TABLES

Measures


Table std.	A	B	C	D
Size 1	480	450	240	250
Size 2	540	515	260	290
Size 3	570	570	280	340
Size 4	660	600	320	385
Size 5	660	650	320	435

Support table	A	B	C	D
Size 1	380	450	230	260
Size 2	430	510	260	300
Size 3	490	580	300	340
Size 4	540	640	330	380
Size 5	620	740	380	440




FOOTREST

Whole size	measure B x D
Whole size 1	345 x 225 mm
Whole size 2	380 x 255 mm
Whole size 3	380 x 310 mm
Divided size 1	160 x 220 mm
Divided size 2	180 x 255 mm
Divided size 3	180 x 305 mm



Whole footrest



Divided footrest

Size:	1	2	3
Profile lenght	30	40	50 cm

HIP SUPPORT

Width x Height
Size 1-2 220 x 140 mm
Size 3 260 x 165 mm

